
#### WATER DAMAGE PROTECTION

ASSET RISK MITIGATION TECHNOLOGY



## WATER DAMAGE PROTECTION

01

#### **Advanced Leak Detection**

Noah Multifunction Leak Sensor

A comprehensive solution offering coverage to nearly eradicate all vulnerabilities by establishing automated thresholds to cease water flow in your multifamily or commercial buildings.

Guard against building floods and unintentional damage to infrastructure, preventing operational disruptions.

02

#### Water Meter + Automatic Shut-Off

M1X

Ensure efficient water usage in your multifamily/commercial buildings with remote metering and automatic shut-off features.

Automate water management with our system's eventdriven response, designed to shut off supply when thresholds are exceeded, preventing water wastage and reducing costs. 03

#### **Wide Area Network**

LoRaWAN Gateway

As your multifamily or commercial buildings become networked via LoRaWAN Gateway, it's the ideal moment to implement our appliance leak detection system.

Water heaters, laundry, dishwashers, and ice makers -- are all potential areas of concern within your Wide Area Network.



## 



### MULTIFUNCTION LEAK SENSOR

Each Noah harnesses the power of LoRa radio protocol, a high-penetration, long-range, low-energy communication system. This ensures the sensor maintains robust and reliable connectivity, even in a dense multi-story construction site. Count on the Noah Multifunction Leak Sensor to be a watchdog for any water-related hazards on your construction projects.

#### Why Noah?

- 10+ Year Battery Life
- Temperature sensing
- Strong Signal Penetration
- Tamper Detection

DOWNLOAD SPEC SHEET



WWW.KAIROSWATER.IO



## 




### SMART MEMBRANE TECHNOLOGY

We are the only patented leak sensor solution using flexible printed membranes with LoRaWAN technology. Our sensors are designed to detect leaks from water pipes, pump systems, common appliances, and other infrastructure. With our smart sensors installed, property owners can save money by detecting leaks and mitigating risks before major water damage occurs.

#### Why Flexible Electronics?

- 100% reusable
- **O** Detection severity
- Ultrafast Leak Detection
- Flexible Spatial Coverage



DOWNLOAD SPEC SHEET



WWW.KAIROSWATER.IO

## CAPABILITIES



#### **Product Features**

Feature	Product	Property Type	Description
Noah Leak Detection		, ,	Properties can use the Noah Water Leak Sensor to gain transparency into your water related risk and protect your asset from unexpected water damage.


#### **Leak Detection Sensors**

Appliance	Size	Membrane	Applications
Toilet	1x12 9x18	<b>"</b>	other leaking valves. All are easily correctable.  • Ten percent of leaks waste 90 gallons or more per day.  • Most common leaks can be eliminated after retrofitting a unit with new Kairos labeled fixtures and other high-efficiency appliances.  • The main cause of water leaking from your HVAC system is an issue with the drain pan
	7,10		Broken condensate pans are a very common source of issues
Dishwasher	20x20		<ul> <li>Average leaks are equivalent to 1,200 loads in the dishwasher</li> <li>Running the dishwasher only when it's full can eliminate one load of dishes per week and save the average family nearly 320 gallons of water annually.</li> <li>Letting your faucet run for five minutes while washing dishes can waste 10 gallons of water and uses enough energy to power a 60-watt light bulb for 18 hours.</li> </ul>
Water Heaters	6x30		<ul> <li>75% of Water Heaters Fail within 12 Years</li> <li>250 Gallons of Water Can Be Lost in a Single Day from a 1/8-Inch Crack in a Pipe</li> <li>The Insurance Institute for Business &amp; Home Safety puts water heater failure in the top five causes of water damage</li> </ul>
Sinks	9x18		<ul> <li>A leaky faucet that drips at the rate of one drip per second can waste more than 3,000 gallons per year. That's the amount of water needed to take more than 180 showers!</li> <li>Leaky faucets can be fixed by checking faucet washers and gaskets for wear and replacing them if necessary</li> </ul>
Refrigerators	20x30		<ul> <li>Ice maker malfunctions are a major source of issues for refrigerators</li> <li>Water filter problems often result in similar issues</li> <li>If the defrost drain is clogged, water will back up into the freezer and down into the fridge.</li> <li>Eventually, it will pool on your floor.</li> </ul>
Building Envelope	Strip Sensor		<ul> <li>Using the strip sensor technology can help you monitor water ingress behind walls.</li> <li>Can also be used to monitor roofing penetrations.</li> </ul>

### Leak Detection Membrane

Variations

Membrane Sensor Material




## HVAC Ceiling Mount

Strip Sensor Membrane




#### The Install: Sweet Sensors & Strong Signal



Flexible strip sensor
technology was applied to
the walls, floors, and conduit
of the vaulted switch gear
room to sense even the
slightest intrusion of water.


## Under Sink Area

## 6X30 Membrane



## Switch Gear Room


Strip Sensor Membrane



# Mechanical Space 6X30 Membrane



#### The Install: Sweet Sensors & Strong Signal



 Flexible membrane sensor technology was applied to areas inside and underneath electrical equipment located near underground drainage systems.

3000Vac
Intrusion Risk
Flexible Leak Sensor

# PTAC Application 6X30 Membrane



## Elevator Shaft

## Strip Sensor




# Smart Seamless Sensors

Leak Detection Zones in Mechanical Spaces, Bathroom, and even Laundry Room Applications















### IN UNIT CAPABILITIES





## NOTABLE MENTIONS

- Zero insurance claims post-deployment
- Avg. **ROI** within **under 6 months**
- Avg Year 1 **saving of \$75,000**
- Deployed ~**24,000 sensors** in ~**10,000 units** since Feb 2021
- **312** major water events **detected** since Dec 2022
- Multiple patents granted
- +10 year battery
- Ultrasonic water submetering (0.44 gpm)
- Exceeds AWWA accuracy standards for utility billing
- Real-time notifications
- Low power long-range network coverage (LoRaWAN)

